INDEX

Page

Abortion, embryo, in Phillips Cling peaches, mathematical model. G. A. Baker 173–178
Actinomycetes, effect on incidence and severity of take-all disease of wheat, experiments 654, 656, 659
Alanine, effects on growth of *Aspergillus niger* 459, 462, 463, 464, 465, 466, 469, 471
Alcohol-benzene extractives, content of timothy plant at different stages of growth 538
Alfalfa, chloride and sulfate salt content, toxicity experiments 359–379
ALLARD, H. A.: Some Aspects of the Phyllotaxy of Tobacco 49–55
Allergy in plants, experiments 445–448, 453
Almond—
  blossom blight, control by arsenite sprays, experiments 562–592
  trees, spraying with calcium arsenite for control of blossom blight, effects on development of sporodochia 566, 567, 568–569, 571, 572, 590–592
Amino—
  acid—
    formation from sugars in *Aspergillus niger*, process. Robert A. Steinberg 615–633
    nitrogen, utilization by *Aspergillus niger*, experiments 649–650
  acids—
    Aspergilli grown on, nitrite-induced "mutants," reversions in morphology. Robert A. Steinberg and Charles Thom 645–652
    cause of reversion of morphology in Aspergilli 646–648, 651
    effect on growth of *Aspergillus niger* in solutions with trace element deficiencies 466–468
    in *Aspergillus niger*, effect of trace elements on growth. Robert A. Steinberg 455–475
    nutrition, relation to growth of *Aspergillus niger*, studies 458, 468, 470
    structure, and enzymatic deamination 463–464, 471
    synthesis by *Aspergillus niger* 455–457
Ammonia, anhydrous, effect on southern sclerotium root rot of sugar beets, experiments 3–8, 9–13, 14, 15, 16
Ammonium—
  phosphate, effect on southern sclerotium root rot of sugar beets, experiments 13–14, 16
  sulfate, effect on southern sclerotium root rot of sugar beets, experiments 3–14, 16
Anabolites, efficiency as substitutes for monoses in *Aspergillus niger* 628–629
Anaerobic—
  decomposition of wheat straw by thermophiles and quantity of gas produced. Robert P. Straka, G. H. Nelson, and Max Levine 129–144
  fermentation of cornstalk flour by thermophiles, effect of metal containers. Robert P. Straka and G. H. Nelson 19–31
Animals, breeding lines, experimental comparisons, design 523–532
Anthocyanin pigmentation in upland cotton—
  relation to inheritance of cluster habit and linkage. J. Winston Neely 105–117
  study of dwarf-red character 477–481
Aphid—
  infestation of corn strains, index of susceptibility to corn borer attack. L. L. Huber and G. H. Stringfield 283–291
  transmission of bean leaf wilt virus 449

Page

Apple—
  bitter rot, control by 2,4-Diaminodiphenylamine, experiments 668–671, 678
  scab, control by 2,4-Diaminodiphenylamine, experiments 668, 672–673
Apples, internal atmosphere, measurement—
  application of method 215–217
  method and apparatus 209–215
Apricot—
  blossom blight, control by arsenite sprays, experiments 562–592
  trees, spraying with calcium arsenite for blossom blight, effect on sporodochia development 566–567, 568, 570, 571, 572
Arginine, effects on growth of *Aspergillus niger* 459, 462–465, 467, 471
Armyworm, southern—
  blood—
    cells, changes induced by administration of poisons. J. Franklin Yeager and Sam C. Munson 307–332
    cells, insecticidal action on, experimental methods 308–309
    cytological changes due to ingestion of poison 311–315, 326–329, 330
    glycogen indices and counts, changes due to poison 315–321, 329–330
    hematological changes due to ingestion of poison 310–311, 324–326, 330
Arsenic trioxide, effect on blood cells of southern armyworm, experiments 307–330
Arsenite sprays—
  effect on development of *Sclerotinia laxa* sporodochia 564–582
  efficacy in eradication of *Sclerotinia laxa* in stone-fruit trees for control of brown rot disease in blossoms, experiments. E. E. Wilson 561–594
Arsenites, injurious effects on stone-fruit orchards, factors affecting 588–590
Ascorbic acid—
  concentration in juice of Florida grapefruit, relation to variety, rootstock, and position of fruit on tree. Paul L. Harding and Edward E. Thomas 57–61
  content, varieties of Maine-grown tomatoes and cabbages, influence of locality, season, and stage of maturity. Elizabeth F. Murphy 483–502
Ash content of timothy plant at different stages of growth 536
Aspartic acid, effects on growth of *Aspergillus niger* 459, 462–467, 469, 471, 472
Aspergilli, nitrite-induced "mutants" grown on amino acids, reversions in morphology. Robert A. Steinberg and Charles Thom 645–652
Aspergillus amstelodami, reversions in morphology 646–648, 651
Aspergillus niger—
  ability to assimilate monoses 621–626
  carbon assimilation in formation of amino acids 464–465, 615–632
  growth—
    relation to amino acid structure and enzymatic deamination, analyses 463–464, 471
    relation to assimilability and molecular configuration 466
    relation to trace-element deficiencies in solutions 466–468, 471
    with amino acids, effect of trace elements on. Robert A. Steinberg 455–475
  monose content, efficiency of anabolites as substitutes for 628–629
  nitrogen assimilation, in formation of amino acids 456–471

Page

Aspergillus niger—Continued.
reversions in morphology 646–648, 651
sugars in—
amino acid formation from, process. Robert A. Steinberg 615–633
conversion to amino acids 626–628
synthesization of amino acids, mechanism 455–457
trace-element requirements with monoses 630–632
utilization of amino acid nitrogen—
experiments 649–650
relation to growth 459–463
Atmosphere, internal, of fruits and vegetables, carbon dioxide and organic volatiles in, simultaneous measurement. Fisk Gerhardt 207–219
ATWOOD, SANFORD S.: Genetics of Pseudo-Self-Compatibility and Its Relation to Cross-Incompatibility in *Trifolium repens* 699–709

Bacteria, effect on incidence and severity of take-all disease of wheat, experiments 654–659
BAKER, G. A.: Mathematical Model of Embryo Abortion in Phillips Cling Peaches 173–178
BARBELLA, NICHOLAS G., TANNOR, BERNARD, HANKINS, O. G., and HUNT, R. E.: Comparative Ripening of Beef From Grass-Fattened and Grain-Fattened Steers 517–521
Barium fluosilicate, effect on blood cells of southern armyworm, experiments 307–330
Barley—
chloride and sulfate salt content, toxicity experiments 359–379
× grass, experiments 33, 36–37, 38, 42, 44
BARR, C. G.: Reserve Foods in the Roots of Whiteweed (*Cardaria draba* var. *repens*) 725–740
Bean—
Corbett Refugee × other strains, leaf variegation, symptoms and inheritance 120–126
leaf wilt virus, source, occurrence, and symptoms 448–449, 452–453
Red Kidney, tolerance to 2,4-Diaminodiphenylamine, tests 668, 678
Stringless Green Refugee, viroplasm-hypothesis, studies 444–453
yellow necrosis virus, source and description 449–451, 452–453
Beans—
leaf variegation—
inheritance. W. J. Zaumeyer 119–127
symptoms 121
navy, chloride and sulfate salt content, toxicity, experiments 359–379
seed production, relation to zinc, experiments 635–638, 641–642
Beef from grass-fattened and grain-fattened steers, comparative ripening. Nicholas G. Barbella, Bernard Tannor, O. G. Hankins, and R. E. Hunt 517–521
Benzene-alcohol extractives, content of timothy plant at different stages of growth 538
BESLEY, A. K., and CARROLL, FLOYD: An Improved Method for Determining the Distribution of Salt and Water in Cured Hams 293–306
Beta vulgaris—
cross-sterility in, inheritance. F. V. Owen 679–698
heritable influences, comparison with environmental 681–683
inheritance of self-fertility, experiments 687–693, 695–696
self-sterility and self-fertility in, inheritance. F. V. Owen 679–698
sucrose percentage, factors affecting inheritance. J. O. Culbertson 153–172
12c strain—
nonreciprocal cross-sterility 683–687
self-fertility by mutation from 694–696
Blood cells of southern armyworm, changes induced by administration of poisons. J. Franklin Yeager and Sam C. Munson 307–332
Blossom—
blight in stone-fruit trees—
control by arsenite sprays, studies 562–592
sprayed before and after development of sporodochia 583–587
See also under causal organism.
end rot of tomatoes, incidence, relation to calcium accumulation in leaf sap, experiments 376–377

Page

Bordeaux mixture, use in control of blossom blight of apricots and almonds 564, 565, 573–574, 577, 585–587, 589–591
BRANDON, J. F., ROBERTSON, D. W., COLEMAN, O. H., FELLOWS, H., and CURTIS, J. J.: Rate and Date of Seeding Kanred Winter Wheat and the Relation of Seeding Date to Dry-Land Foot Rot at Akron, Colo 339–356
Bread, loaf volume, effect of various concentrations of papain and potassium iodate. Jehiel Davidson and J. A. LeClerc 145–152
Breeding lines, livestock, experimental comparisons, design. R. E. Comstock and L. M. Winters 523–532
BRIERLEY, PHILIP, and CURTIS, A. H.: Further Studies of Cool Storage and Other Factors Affecting the Forcing Performance of Easter Lily Bulbs 221–235
Brown rot disease in blossoms of stone fruits, control by arsenite sprays to eradicate *Sclerotinia laxa*, experiments. E. E. Wilson 561–594
Bulbs, Easter lily, forcing performance, cool storage and other factors affecting, further studies. Philip Brierley and A. H. Curtis 221–235
Buttercup, Persian, root rot disease caused by *Pythium debaryanum* 181–183

Cabbages—
varieties, Maine-grown, ascorbic acid content, influence of locality, season, and stage of maturity. Elizabeth F. Murphy 483–502
vitamin C content, relation to geographical location, factors affecting 493–495
Calcium—
arsenate, effect on blood cells of southern armyworm, experiments 307–330
arsenite—
effect on blood cells of southern armyworm, experiments 307–330
efficacy in control of *Sclerotinia laxa* infection of stone-fruit trees, experiments 565–577
nitrate, effect on southern sclerotium root rot of sugar beets, experiments. 9–10, 12–13, 15, 16
California stone-fruit industry, losses from blossom and fruit infection, studies 562, 590
Carbohydrate content of whiteweed roots—
analysis 726–728
effect of—
frequency of cultivation 739–740
sodium chlorate 736–739
seasonal trend 729–734
trend after cultivation 734–736
Carbon—
assimilation by *Aspergillus niger* in formation of amino acids 464–465, 615–632
compounds, assimilability by *Aspergillus niger* 617–621
dioxide—
content of internal atmosphere of fruits, measurement, review of methods 207–208
in internal atmosphere of fruits and vegetables, simultaneous measurement with organic volatiles. Fisk Gerhardt 207–219
Cardaria draba var. *repens* roots, reserve foods in. C. G. Barr 725–740
CARROLL, FLOYD, and BESLEY, A. K.: An Improved Method for Determining the Distribution of Salt and Water in Cured Hams 293–306
Celery, late blight, causal organism, description 548–555
Cellulose—
crude, content of timothy plant at different stages of growth 539
wheat-straw, decomposition and gas production 130–144
Cephalosporium acremonium, infection of corn ears, description 428–429
Cereals, intergeneric hybridization. D. C. Smith 33–47
Cherry leaf spot, control by 2,4-Diaminodiphenylamine, experiments 668, 674, 678

Chicks, White Leghorn— Page
down color—
genetic analysis 194–199
relation to characters of economic importance 199–201
relation to riboflavin, experiments 201–202
variations and their economic insignificance. W. F. Lamoreux and F. B. Hutt 193–205
head spots, relation to down color and sex, experiments 202–203
sex, relation to—
down color, experiments 198–199
head spots, experiments 203
Chloride—
beneficial effect on early growth of tomato and cotton plants, experiments 387–388
salt, tolerance of plants to, experiments 360–364
salts, toxicity and accumulation in plants. Frank M. Eaton 357–399
Cladosporium carpophilum, control by 2,4-Diaminodiphenylamine, experiments 668, 678
Clark, Francis E., Stumbo, Charles R., and Gainey, P. L.: Microbiological and Nutritional Factors in the Take-All Disease of Wheat 653–665
Clover, white, pseudo-self-compatibility and its relation to cross-incompatibility 699–709
Coccomyces hiemalis, control by 2,4-Diaminodiphenylamine, experiments 668, 678
Coleman, O. H., Robertson, D. W., Brandon, J. F., Fellows, H., and Curtis, J. J.: Rate and Date of Seeding Kanred Winter Wheat and the Relation of Seeding Date to Dry-Land Foot Rot at Akron, Colo 339–356
Color—
down, of White Leghorn chicks, variations and their economic insignificance. W. F. Lamoreux and F. B. Hutt 193–205
shank, of Single-Comb White Leghorn pullets, relation to winter egg production characteristics. I. Michael Lerner 333–338
Colorado, Akron, Kanred winter wheat, seeding rate and date, and relation of seeding date to dry-land foot rot. D. W. Robertson, O. H. Coleman, J. F. Brandon, H. Fellows, and J. J. Curtis 339–356
Coloration, red, occurrence in upland varieties of cotton 477–480
Comstock, R. E., and Winters, L. M.: Design of Experimental Comparisons Between Lines of Breeding in Livestock 523–532
Containers, metal, effect on anaerobic fermentation of cornstalk flour by thermophiles. Robert P. Straka and G. H. Nelson 19–31
Corn—
chloride and sulfate salt content, toxicity experiments 379–386
cob, infection at butt by fungi, relation to cob discoloration, studies 432–434
dent, twelve inbreds, relative susceptibility to pythium root rot. Charlotte Elliott 711–723
ears, fungi—
entrance into, natural mode, and some symptoms that indicate infection. Benjamin Koehler 421–442
species invading, description 427–431
earworm injury and fungus infection, studies 431–432
growth in water cultures, effect of—
chloride, experiment 381–383
sulfate, experiment 383
height, factor in egg laying by European corn borer moth in one-generation area. L. H. Patch 503–515
infestation by corn leaf aphid, comparison with corn borer attack 285–291
kernel tissue, infection by fungi 434–436
kernels, infected by fungi, pericarp, nature of white streak 436–438, 440
leaf aphid, infestation of corn strains, index of susceptibility to corn borer attack 283–291
strains, aphid infestation, index of susceptibility to corn borer attack. L. L. Huber and G. H. Stringfield 283–291
susceptibility to aphid injury, estimation 284
Corn borer— Page
attack, relation to susceptibility of corn strains to aphid infestation, index. L. L. Huber and G. H. Stringfield 283–291
egg masses, number—
association with height of corn, county areas 504–506
association with height of corn, plots within fields 513–514
association with height of corn, unit areas 507–513
regression on height of corn 510–513
European, moth, height of corn as factor of egg laying, in one-generation area. L. H. Patch 503–515
Cornstalk flour, anaerobic fermentation by thermophiles, effect of metal containers. Robert P. Straka and G. H. Nelson 1–18
Cornstalks—
aqueous sodium hydroxide extractions, hemicellulose fractions, hydrolysis 405
depectinization, description of process 401–402
hemicelluloses—
H. D. Weihe and Max Phillips 401–406
crude, isolation 402–403
delignification 403
lignin-free, hydrolysis 403–405
pectin-free, partial delignification 402
Cotton—
Acala—
chloride and sulfate salt content, toxicity experiments 359–379
dwarf-red character, description 477–479
dwarf-red×normal green Acala, inheritance of dwarf-red character 479–480
strains, diameter of fiber. G. N. Stroman 243–255
early growth, beneficial effect of chloride, experiment 387–388
fiber, diameter in different strains of Acala. G. N. Stroman 243–255
Pima, smooth and pitted bolls, inheritance. E. Gordon Smith 101–103
seedling, mortality in field, effect of storage of seed 416–417
strains—
fibers, ribbon width, thickness, and number of convolutions 251–253
swollen-fiber diameter 247–251
upland—
anthocyanin pigmentation, linkage relation to inheritance of cluster habit. J. Winston Neely 105–117
dwarf-red character in, occurrence. Scott C. McMichael 477–481
Cottonseed—
longevity, factors affecting. D. M. Simpson 407–419
moisture content, effect on longevity, experiments 410–416
oil, in stored seeds, free fatty acid content 417–418
storage—
effect on seedling mortality in field, experiments 416–417
method, effect on longevity, tests 408–410
stored, oil content, free fatty acids in 417–418
temperature and moisture, relation to longevity, experiments 412–416
Crop plants, chloride and sulfate salt content, toxicity experiments 358–397
Culbertson, J. O.: Inheritance of Factors Influencing Sucrose Percentage in *Beta vulgaris* 153–172
Curtis, A. H., and Brierley, Philip: Further Studies of Cool Storage and Other Factors Affecting the Forcing Performance of Easter Lily Bulbs 221–235
Curtis, J. J., Robertson, D. W., Coleman, O. H., Brandon, J. F., and Fellows, H.: Rate and Date of Seeding Kanred Winter Wheat and the Relation of Seeding Date to Dry-Land Foot Rot at Akron, Colo 339–356
Cyanamid, effect on southern sclerotium root rot of sugar beets, experiments 8–13, 15–16

Davey, A. E., and Leach, L. D.: Reducing Southern Sclerotium Rot of Sugar Beets With Nitrogenous Fertilizers 1–18

Page

DAVIDSON, JEHIEL, and LECLERC, J. A.: Effect of Various Concentrations of Papain and Potassium Iodate on the Loaf Volume of Bread ... 145-152
DAVIS, B. L., PHILLIPS, MAX, and WEIHE, H. D.: Composition of the Tops and Roots of the Timothy Plant at Successive Stages of Growth ... 533-546
Diets, potassium in, requirements of growing pigs ... 189-192
Diphenylamines, fungicidal properties. M. C. Goldsworthy, E. L. Green, and H. L. Haller ... 667-678
Diplodia zeae infection of corn ears, description ... 430
Down color of White Leghorn chicks, variations and their economic insignificance. W. F. Lamoreux and F. B. Hutt ... 193-205
Drying, continuous, effects on viability of thorn-headed worm eggs, experiments ... 97-98, 99-100
Dwarf-red character, occurrence in upland cotton. Scott C. McMichael ... 477-481
Dwarfing, occurrence in upland varieties of cotton ... 477-480

EATON, FRANK M.: Toxicity and Accumulation of Chloride and Sulfate Salts in Plants ... 357-399
Egg production, winter, characteristics of Single-Comb White Leghorn pullets, relation to shank color. I. Michael Lerner ... 333-338
ELLIOTT, CHARLOTTE: Relative Susceptibility to Pythium Root Rot of Twelve Dent Corn Inbreds ... 711-723
ELLISON, LINCOLN: A Comparison of Methods of Quadratting Short-Grass Vegetation ... 595-614
Embryo abortion in Phillips Cling peaches, mathematical model. G. A. Baker ... 173-178

Fattening, steers, comparative value of grass and grain feeds ... 517-521
Fatty acids, free, in oil in stored cottonseed ... 417-418
FELLOWS, H., ROBERTSON, D. W., COLEMAN, O. H., BRANDON, J. F., and CURTIS, J. J.: Rate and Date of Seeding Kanred Winter Wheat and the Relation of Seeding Date to Dry-Land Foot Rot at Akron, Colo ... 339-356
Fermentation, anaerobic, of—
  cornstalk flour by thermophiles, effect of metal containers. Robert P. Straka and G. H. Nelson ... 19-31
  wheat straw by thermophiles and quantity of gas produced ... 129-144
Fertilizers—
  effect on incidence and severity of take-all disease of wheat, experiments ... 653-664
  nitrogenous, reducing southern sclerotium rot of sugar beets with. L. D. Leach and A. E. Davey ... 1-18
Flour, wheat-straw—
  constituents of, decomposition by fermentation ... 131-139, 143-144
  gas production by anaerobic decomposition ... 139-144
Foods, reserve in roots of whiteweed, *Cardaria draba* var. *repens*. C. G. Barr ... 725-740
Foot rot, dry-land, of Kanred winter wheat, rate and date of seeding, and relation of seeding date to, at Akron, Colo. D. W. Robertson, O. H. Coleman, J. F. Brandon, H. Fellows, and J. J. Curtis ... 339-356
Forage grasses, improvement by intergeneric hybridization with cereals, experiments ... 33-44
Freezing, effect on viability of thorn-headed worm eggs, experiments ... 96-97, 99-100
Fruit—
  stone—
    trees, invasion by *Sclerotinia laxa* ... 562-564
    trees, spraying with arsenite for eradication of *Sclerotinia laxa* to control brown rot disease in blossoms, experiments. E. E. Wilson ... 561-594
    trees, spraying with 2,4-Diaminodiphenylamine and other diphenylamines, experiments ... 667-678

Page

Fruits, internal atmosphere—
  carbon dioxide and organic volatiles in, simultaneous measurement. Fisk Gerhardt ... 207-219
  measurement—
    application of method ... 215-217
    method and apparatus ... 209-215
    review of methods ... 207-209
Fungi—
  "infection," meaning of term ... 427
  natural mode of entrance into corn ears and some symptoms that indicate infection. Benjamin Koehler ... 421-442
  species invading corn ears, description of infections ... 427-431
  sugar in, conversion to amino acids ... 615-632
Fungicidal properties of 2,4-Diaminodiphenylamine and other substituted diphenylamines. M. C. Goldsworthy, E. L. Green, and H. L. Haller ... 667-678
Furfural content of timothy plant at different stages of growth ... 538, 539-540
Fusarium moniliforme infection of corn ears, description ... 422-428

GAINEY, P. L., STUMBO, CHARLES R., and CLARK, FRANCIS E.: Microbiological and Nutritional Factors in the Take-All Disease of Wheat ... 653-665
Gas production, in anaerobic decomposition of wheat straw by thermophiles, quantity. Robert P. Straka, G. H. Nelson, and Max Levine ... 129-144
GEDDES, W. F., and RAMSTAD, P. E.: The Relative Respiratory Rates and Hygroscopic Equilibria of Common and Hulless Oats ... 237-241
Genetics of pseudo-self-compatibility and its relation to cross-incompatibility in *Trifolium repens*. Sanford S. Atwood ... 699-709
GERHARDT, FISK: Simultaneous Measurement of Carbon Dioxide and Organic Volatiles in the Internal Atmosphere of Fruits and Vegetables ... 207-219
Gibberella zeae infection of corn ears, description ... 429
Glomerella cingulata, control—
  by diphenylamines, experiments ... 674-678
  by 2,4-Diaminodiphenylamine, experiments ... 668-678
Glutamic acid, effects on growth of *Aspergillus niger* ... 459, 462-467, 469, 471, 472
Glycine, effects on growth of *Aspergillus niger* ... 459, 462, 463-464, 465, 466, 469, 471
GOLDSWORTHY, M. C., GREEN, E. L., and HALLER, H. L.: Fungicidal Properties of 2,4-Diaminodiphenylamine and Other Substituted Diphenylamines ... 667-678
Gossypium—
  barbadense, inheritance of smooth and pitted bolls ... 101-103
  hirsutum, cluster habit, inheritance, studies ... 106-109, 116
Grain, value for fattening steers, comparison with grass ... 517-521
Grains, small, hybridization with other grasses, experiments ... 33-44
Grapefruit, Florida, fruit, position on tree, relation to ascorbic acid concentration in juice. Paul L. Harding and Edward E. Thomas ... 57-61
Grass, value for fattening steers, comparison with grain ... 517-521
Grasses—
  intergeneric hybridization. D. C. Smith ... 33-47
  short, vegetation, quadratting, comparison of methods. Lincoln Ellison ... 595-613
GREEN, E. L., GOLDSWORTHY, M. C., and HALLER, H. L.: Fungicidal Properties of 2,4-Diaminodiphenylamine and Other Substituted Diphenylamines ... 667-678
Gum yields in longleaf pines, relation to frequency of chipping, experiments ... 81-92

HALLER, H. L., GOLDSWORTHY, M. C., and GREEN, E. L.: Fungicidal Properties of 2,4-Diaminodiphenylamine and Other Substituted Diphenylamines ... 667-678

Page

Hams, cured, salt—
and water distribution in—
determination, improved method. A. K. Besley and Floyd Carroll 203–306
sampling techniques 296–304
distribution in, determination, previous methods 294–295

HANKINS, O. G., BARBELLA, NICHOLAS G., TANNOR, BERNARD, and HUNT, R. E.: Comparative Ripening of Beef From Grass-Fattened and Grain-Fattened Steers 517–521

HARDING, PAUL L., and THOMAS, EDWARD E.: Relation of Ascorbic Acid Concentration in Juice of Florida Grapefruit to Variety, Rootstock, and Position of Fruit on the Tree 57–61

Heating, oats, susceptibility of hull-less variety, study 237–241

Hemicelluloses of cornstalks. H. D. Weihe and Max Phillips 401–406

HUBER, L. L., and STRINGFIELD, G. H.: Aphid Infestation of Strains of Corn as an Index of Their Susceptibility to Corn Borer Attack 283–291

HUGHES, E. H.:
Pantothenic Acid in the Nutrition of the Pig 185–187
and ITTNER, N. R.: The Potassium Requirement of Growing Pigs 189–192

HUNT, R. E., BARBELLA, NICHOLAS G., TANNOR, BERNARD, and HANKINS, O. G.: Comparative Ripening of Beef From Grass-Fattened and Grain-Fattened Steers 517–521

HUTT, F. B., and LAMOREUX, W. F.: Variations in the Down Color of White Leghorn Chicks and Their Economic Insignificance 193–205

Hybrid vigor and weight, germs of maize seeds. J. H. Kempton and John W. McLane 65–80

Hybridization, intergeneric, of cereals and other grasses. D. C. Smith 33–47

Hydrochloric acid, extractives, content of timothy plant at different stages of growth 538

Hydrolene No. 66, use with calcium arsenite for control of *Sclerotinia laxa*, experiments 565, 574–575, 589, 591, 592

Inheritance—
in Pima cotton, of smooth and pitted bolls. E. Gordon Smith 101–103
of—
cluster habit and its linkage relation with anthocyanin pigmentation in upland cotton. J. Winston Neely 105–117
cross- and self-sterility and self-fertility in *Beta vulgaris*. F. V. Owen 679–698
factors influencing sucrose percentage in *Beta vulgaris*. J. O. Culbertson 153–172
leaf variegation in beans. W. J. Zaumeyer 119–127

Insecticides, effect on blood cells of southern armyworm, experiments 307–330

Intergeneric hybridization of cereals and other grasses. D. C. Smith 33–47

Irradiation, ultraviolet, thorn-headed worm eggs, effect on viability 98–100

Irrigation agriculture, problem of salinity 389–395

ITTNER, N. R., and HUGHES, E. H.: The Potassium Requirement of Growing Pigs 189–192

JOHANN, HELEN: Origin of the Suberized Semipermeable Membrane in the Caryopsis of Maize 275–282

JOHNSON, JAMES: Studies on the Viroplasm Hypothesis 443–454

June beetle, green, grubs, host of swine thorn-headed worm 93–95

KATES, KENNETH C.: Viability of Eggs of the Swine Thorn-Headed Worm (*Macracanthorhynchus hirudinaceus*) 93–100

KEMPTON, J. H., and MCLANE, JOHN W.: Hybrid Vigor and Weight of Germs in the Seeds of Maize 65–80

KOEHLER, BENJAMIN: Natural Mode of Entrance of Fungi Into Corn Ears and Some Symptoms That Indicate Infection 421–442

Page

LAMOREUX, W. F., and HUTT, F. B.: Variations in the Down Color of White Leghorn Chicks and Their Economic Insignificance 193–205

LEACH, L. D., and DAVEY, A. E.: Reducing Southern Sclerotium Rot of Sugar Beets With Nitrogenous Fertilizers 1–18

Lead arsenate, effect on blood cells of southern armyworm, experiments 307–330

Leaf—
arrangement of tobacco, investigations 49–55
variegation in beans, inheritance. W. J. Zaumeyer 119–127

LECLERC, J. A., and DAVIDSON, JEHIEL: Effect of Various Concentrations of Papain and Potassium Iodate on the Loaf Volume of Bread 145–152

Leguminosae, viroplasm-hypothesis, studies 444–453

Lemon cuttings, rooted, chloride and sulfate salt content, toxicity experiments 359–379

LERNER, I. MICHAEL: The Relation of Shank Color to Winter Egg Production Characteristics of Single-Comb White Leghorn Pullets 333–338

LEVINE, MAX, STRAKA, ROBERT P., and NELSON, G. H.: Anaerobic Decomposition of Wheat Straw by Thermophiles and the Quantity of Gas Produced 129–144

LIEFELD, T. A.: Relation of Naval Stores Yields to Frequency of Chipping 81–92

Light, supplemental, intensity, and length of photoperiod, relation to production of flowers and berries in greenhouse by several varieties of potatoes. H. O. Werner 257–274

Lignin—
crude, content of timothy plant at different stages of growth 539
precursors, and synthesization by plants 543
wheat straw, decomposition and gas production 130, 131

Lily, Easter—
bulbs, forcing performance, cool storage and other factors affecting, further studies. Philip Brierley and A. H. Curtis 221–235
Creole—
bulbs, forcing performance, effect of delaying cool-storage treatments 227–229
bulbs, forcing performance, effect of mosaic disease 231–233
forced, effect of digging date and storage treatment on time of flowering 221–227
seedling bulbs, forcing performance, effect of place of production 229–231

Lime, hydrated, effect on southern sclerotium root rot of sugar beets, experiments 8–9

Livestock, breeding lines, experimental comparisons between, design. R. E. Comstock and L. M. Winters 523–532

Locality, influence on ascorbic acid content of varieties of Maine-grown tomatoes and cabbages. Elizabeth F. Murphy 483–502

Longevity, cottonseed, factors affecting. D. M. Simpson 407–419

MACMILLAN, H. G., and PLUNKETT, O. A.: Structure and Germination of *Septoria* Spores 547–559

Macracanthorhynchus hirudinaceus eggs, viability. Kenneth C. Kates 93–100

Maine, tomatoes and cabbages of different varieties, ascorbic acid content, influence of locality, season, and stage of maturity. Elizabeth F. Murphy 483–502

Maize—
caryopsis, suberized semipermeable membrane—
description 279–281
origin. Helen Johann 275–282
embryos, weight, relation to hybrid vigor, experiments 65–79
germ—
weight, in early stages of germination, studies 75–76
weights in F_2 hybrids, experiments 73–75
weights of hybrids and parents 68–73, 78
germs, weight increase, rate 76–77
seed types, germ weights, studies 77–79

Maize—Continued. Page
seeds, germs in, hybrid vigor and weight. J. H. Kempton and John W. McLane 65–80
Manure, effect on southern sclerotium root rot of sugar beets, experiments 8–10
Maturity, stage, influence on ascorbic acid content of varieties of Maine-grown tomatoes and cabbages. Elizabeth F. Murphy 483–502
McLane, John W., and Kempton, J. H.: Hybrid Vigor and Weight of Germs in the Seeds of Maize 65–80
McMichael, Scott C.: Occurrence of the Dwarf-Red Character in Upland Cotton 477–481
Meat, ripening, comparison of grass-fattened and grain-fattened steers 517–521
Mercuric chloride, effect on blood cells of southern armyworm, experiments 307–330
Metal containers, effect on anaerobic fermentation of cornstalk flour by thermophiles. Robert P. Straka and G. H. Nelson 19–31
Methane-producing seed, anaerobic fermentation of cornstalk flour by, effect of metal containers 19–31
Methoxyl content of timothy plant at different stages of growth 536, 539
Micro-organisms, effect on incidence and severity of take-all disease of wheat, experiments 654–664
Middleton, John T., and Tompkins, C. M.: Root Rot of *Ranunculus asiaticus* Caused by *Pythium debaryanum* 179–183
Milo, dwarf—
chloride and sulfate salt content, toxicity experiments 359–379
seed production, relation to zinc, experiments 635–638, 642–643
Monilia infection of corn ears, description 430–431
Monoses—
chemical structure and assimilability by *Aspergillus niger* 621–626
in *Aspergillus niger*, efficiency of anabolites as substitutes for 628–629
Mosaic disease, effect on forcing performance of Creole Easter lily bulbs 231–233
Munson, Sam C., and Yeager, J. Franklin: Changes Induced in the Blood Cells of the Southern Armyworm (*Prodenia eridania*) by the Administration of Poisons 307–332
Murphy, Elizabeth F.: The Ascorbic Acid Content of Different Varieties of Maine-Grown Tomatoes and Cabbages as Influenced by Locality, Season, and Stage of Maturity 483–502
Myzus persicae, transmission of bean leaf wilt virus 449

Naval stores, yields, relation to chipping frequency. T. A. Liefeld 81–92
Nebraska, potato seed production, review 253–259
Neely, J. Winston: Inheritance of Cluster Habit and Its Linkage Relation With Anthocyanin Pigmentation in Upland Cotton 105–107
Nelson, G. H.:
and Straka, Robert P.: Effect of Metal Containers on the Anaerobic Fermentation of Cornstalk Flour by Thermophiles 19–31
Straka, Robert P., and Levine, Max: Anaerobic Decomposition of Wheat Straw by Thermophiles and the Quantity of Gas Produced 129–144
Nicotine—
bentonite, effect on blood cells of southern armyworm, experiments 307–330
peat, effect on blood cells of southern armyworm, experiments 307–330
Nigrospora infection of corn ears, description 429–430
Nitrite-induced "mutants" of Aspergilli grown on amino acids, reversions in morphology. Robert A. Steinberg and Charles Thom 645–652
Nitrogen—
amino acid—
assimilation by *Aspergillus niger*, experiments 456–463
utilization by *Aspergillus niger* 459–463, 649–650

Nitrogen—Continued. Page
available, effect on activity of *Ophiobolus graminis* in wheat, experiments 654–664
content of timothy plant at different stages of growth 536, 539
Nitrogenous fertilizers, reducing southern sclerotium rot of sugar beets with. L. D. Leach and A. E. Davey 1–18
Nutrition of pig, pantothenic acid in. E. H. Hughes 185–187

Oats—
common, respiratory rates and hygroscopic equilibria, comparison with common oats. P. E. Ramstad and W. F. Geddes 237–241
× grass, experiments 33, 36–37, 38, 43
heating, susceptibility of hull-less variety, study 237–241
hull-less—
respiratory rates and hygroscopic equilibria, comparison with common oats. P. E. Ramstad and W. F. Geddes 237–241
susceptibility to heating, study 237–241
Ophiobolus graminis, cause of take-all disease of wheat 653
Orchards, spraying with 2,4-Diaminodiphenylamine and other diphenylamines, experiments 667–678
Organic volatiles in internal atmosphere of fruits—
and vegetables, simultaneous measurement with carbon dioxide. Fisk Gerhardt 207–219
measurement, review of methods 208–209
Ornithine, effects on growth of *Aspergillus niger* 461, 464, 465, 471, 472
Owen, F. V.: Inheritance of Cross- and Self-Sterility and Self-Fertility in *Beta vulgaris* 679–698

Pantothenic acid in nutrition of pig. E. H. Hughes 185–187
Papain, various concentrations, effect on loaf volume of bread. Jehiel Davidson and J. A. LeClerc 145–152
Paris green, effect on blood cells of southern armyworm, experiments 307–330
Patch, L. H.: Height of Corn as a Factor in Egg Laying by the European Corn Borer Moth in the One-Generation Area 503–515
Pea, Tangier—
juice, effect on bean leaves in viroplasm study 445–448, 452–453
source of "bean leaf wilt virus" 448–449, 451–453
Peach—
brown rot, control by spraying with 2,4-Diaminodiphenylamine, experiments 668–674, 678
embryo abortion, mathematical model, uses 173
pit hardening and gumming, relation to embryo abortion 173, 178
scab, control by 2,4-Diaminodiphenylamine, experiments 668, 673, 674, 678
Peaches, Phillips Cling, embryo abortion, mathematical model. G. A. Baker 173–178
Peas, seed production, relation to zinc, experiments 635–641
Pectic substances, content of timothy plant at different stages of growth 539
Penicillium infection of corn ears, description 431
Pentosans—
content of timothy plant at different stages of growth 538–539
wheat-straw, decomposition and gas production 130–144
Phenothiazine, effect on blood cells of southern armyworm, experiments 307–330
Phillips, Max:
and Weihe, H. D.: Hemicelluloses of Cornstalks 401–406
Davis, B. L., and Weihe, H. D.: Composition of the Tops and Roots of the Timothy Plant at Successive Stages of Growth 533–546
Phosphorus, available, effect on activity of *Ophiobolus graminis* in wheat 654–664

Page

Photoperiod, length, and intensity of supplemental light, relation to the production of flowers and berries in greenhouse by several varieties of potatoes. H. O. Werner 257–274
Phyllotaxy of tobacco, some aspects. H. A. Allard 49–55
Pig, nutrition, pantothenic acid in. E. H. Hughes 185–187
Pigmentation—
anthocyanin, in cotton, study 477–481
shanks of White Leghorn pullets, relation to winter egg production 333–338
Pigs—
feeding pantothenic acid to, experiments 185–187
growing, potassium requirements. E. H. Hughes and N. R. Ittner 189–192
Pine, longleaf, chipping frequency, relation to naval stores yields, studies 81–92
Plant sap, physical and chemical properties 367–376
Plants—
allergic reaction, experiments 445–448, 453
chloride salt content, toxicity and accumulation. Frank M. Eaton 357–399
grown in salt beds, water requirements 376
poisoning by chloride and sulfate salts, symptoms 364–366
sulfate salt content, toxicity and accumulation. Frank M. Eaton 357–399
tolerance to chloride and sulfate salts, experiments 360–364
Plum trees, spraying with calcium arsenite for blossom blight control and effects on sporodochia development, studies 570, 572, 574, 588, 590–591
Plums, blossom blight control by arsenite sprays, experiments 570, 572, 574, 588, 590–591
PLUNKETT, O. A., and MACMILLAN, H. G.: Structure and Germination of *Septoria* Spores 547–559
Poisons, administration to blood cells of southern armyworm, cause of changes induced. J. Franklin Yeager and Sam C. Munson 307–332
Potassium—
ethyl xanthate, efficacy in control of *Sclerotinia laxa* infection of stone-fruit trees, experiments 565, 574, 589
iodate, various concentrations, effect on loaf volume of bread. Jehiel Davidson and J. A. LeClerc 145–152
nitrate, effect on incidence and severity of take-all disease of wheat, experiments 656–664
requirement of growing pigs. E. H. Hughes and N. R. Ittner 189–192
Potato—
berries, number and weight, effect of light 271
plant—
primordia and flowers, number, effect of light 267–271
vegetative growth and blooming time, effect of light 264–267
seed—
air-dry weight, effect of light 271–273
production in Nebraska, review 258–259
tuber production, effect of temperature 273
varieties, production of flowers and berries in greenhouse, relation to length of photoperiod and intensity of supplemental light. H. O. Werner 257–274
Prodenia eridania, blood cells, changes induced by administration of poisons. J. Franklin Yeager and Sam C. Munson 307–332
Proline, effects on growth of *Aspergillus niger* 459, 462–465, 471, 472
Protein, crude, content of timothy plant at different stages of growth 536
Prune—
blossom blight, control by arsenite sprays, experiments 562–592
trees, spraying with calcium arsenite for blossom blight, effects on sporodochia development 566, 568, 577, 588, 590–591
Pullets, Single-Comb White Leghorn, shank color, relation to winter egg production characteristics. I. Michael Lerner 333–338
Pyrethrum, effect on blood cells of southern armyworm, experiments 307–330

Page

Pythium—
arrhenomanes, cause of root rot of corn and other plants 711
debaryanum—
cause of root rot of *Ranunculus asiaticus*. C. M. Tompkins and John T. Middleton 179–183
experimental host range 181–183
isolation from Persian buttercup, and cultivation 179–181
root rot, susceptibility of twelve dent corn inbreds to. Charlotte Elliott 711–723

Quadrat, use in measuring short-grass vegetation, comparison of methods 595–613
Quadratting short-grass vegetation, comparison of methods. Lincoln Ellison 595–614

RAMSTAD, P. E., and GEDDES, W. F.: The Relative Respiratory Rates and Hygroscopic Equilibria of Common and Hull-less Oats 237–241
Range-grass vegetation, quadratting, comparison of methods 595–613
Ranunculus—
asiaticus, root rot of, caused by *Pythium debaryanum*. C. M. Tompkins and John T. Middleton 179–183
root rot disease, symptoms 179
REED, HOWARD S.: The Relation of Zinc to Seed Production 635–644
Respiratory rates and hygroscopic equilibria of common and hull-less oats. P. E. Ramstad and W. F. Geddes 237–241
ROBERTSON, D. W., COLEMAN, O. H., BRANDON, J. F., FELLOWS, H., and CURTIS, J. J.: Rate and Date of Seeding Kanred Winter Wheat and the Relation of Seeding Date to Dry-Land Foot Rot at Akron, Colo 339–356
Root rot of *Ranunculus asiaticus* caused by *Pythium debaryanum*. C. M. Tompkins and John T. Middleton 179–183
Roots of whiteweed, *Cardaria draba* var. *repens*, reserve foods in. C. G. Barr 725–740
Rotenone, effect on blood cells of southern armyworm, experiments 307–330
Rye × grass, experiments 33, 36, 37, 38, 40–42, 43–44

Salinity, problem in irrigation agriculture 389–395
Salt—
accumulation in plants, relation to injury 378–379
distribution in cured hams, determination by improved method. A. K. Besley and Floyd Carroll 293–306
Salts—
chloride and sulfate—
effect on crop plants in greenhouse waterculture experiments 379–386
effect on crop plants in outdoor sand cultures, experiments 358–379
toxicity and accumulation in plants. Frank M. Eaton 357–399
soil, problem in irrigation agriculture 389–395
Sclerotinia—
fructicola, control by—
diphenylamines, experiments 674–678
2,4-Diaminodiphenylamine, experiments 668–678
laxa—
cause of blossom blight in stone fruits 562–592
eradication in stone-fruit trees by arsenite sprays for control of brown rot disease in blossoms, experiments. E. E. Wilson 561–594
inoculum reduction, effect on subsequent blossom infection, experiments 582–583
mycelium development on hold-over twigs, effect of calcium arsenite sprays, experiments 575–577
sporodochia, development, relation to season 562–564
sporodochial stage, eradication by sprays for control of brown rot 564–587, 590–592
Sclerotium rolfsii—
infection of sugar beets, effect of nitrogenous fertilizers, field experiments 3–13, 16
toxicity of nitrogen compounds to—
field trials 15, 16
laboratory studies 13–15, 16

Page

Sclerotium rot, southern, of sugar beets, reducing with nitrogenous fertilizers. L. D. Leach and A. E. Davey ... 1–18
Season, influence on ascorbic acid content of varieties of Maine-grown tomatoes and cabbages. Elizabeth F. Murphy ... 483–502
Seed—
methane-producing, thermophilic anaerobic fermentation of cornstalk flour, experiments ... 19–31
production, relation to zinc. Howard S. Reed ... 635–644
Seeds, maize, germs in, hybrid vigor and weight. J. H. Kempton and John W. McLane ... 65–80
Septoria—
apii-graveolentis—
cause of late blight of celery ... 547
spores, studies ... 547–558
spp., spores, septation, discussion ... 555–558
spore horn or cirrus, description ... 548
spores—
descriptive terms, meaning ... 553–555
growth and germination, technical description ... 551–553
structure and germination. H. G. MacMillan and O. A. Plunkett ... 547–559
structure, description ... 548–551
Sesbania macrocarpa, source of bean yellow necrosis virus ... 449–451, 452–453
Short-grass vegetation, quadratting, comparison of methods. Lincoln Ellison ... 595–614
SIMPSON, D. M.: Factors Affecting the Longevity of Cottonseed ... 407–419
SMITH, D. C.: Intergeneric Hybridization of Cereals and Other Grasses ... 33–47
SMITH, GORDON E.: Inheritance of Smooth and Pitted Bolls in Pima Cotton ... 101–103
Sodium—
arsenite, effect on sporodochial development of *Sclerotinia laxa* in stone-fruit orchards, experiments ... 579
chlorate, effect on whiteweed root reserves, experiments ... 736–739
fluoaluminate, effect on blood cells of southern armyworm, experiments ... 307–330
fluoride, effect on blood cells of southern armyworm, experiments ... 307–330
Soil—
microbial activity, effect on incidence or severity of take-all disease of wheat ... 654–664
nitrate-nitrogen content, effect on incidence or severity of take-all disease of wheat ... 654–664
phosphorus content, effect on incidence or severity of take-all disease of wheat ... 654–664
salt content, problem in irrigation agriculture ... 389–395
Soils of—
high fertility, nitrogen treatment, effect on *Sclerotium rolfsii* infection of sugar beets ... 8–12
low fertility, nitrogen treatment, effect on *Sclerotium rolfsii* infection of sugar beets ... 3–8
Sprays—
arsenite, efficacy in eradication of *Sclerotinia laxa* in stone-fruit trees for control of brown rot disease in blossoms, experiments. E. E. Wilson ... 561–594
See also under specific kinds.
Steers, grass-fattened and grain-fattened, beef from, comparative ripening. Nicholas G. Barbella, Bernard Tannor, O. G. Hankins, and R. E. Hunt ... 517–521
STEINBERG, ROBERT A.:
Effect of Trace Elements on Growth of *Aspergillus niger* With Amino Acids ... 455–475
The Process of Amino Acid Formation From Sugars in *Aspergillus niger* ... 615–633
and THOM, CHARLES: Reversions in Morphology of Nitrite-Induced "Mutants" of Aspergilli Grown on Amino Acids ... 645–652
Storage, cool, and other factors affecting forcing performance of Easter lily bulbs. Philip Brierley and A. H. Curtis ... 221–235
STRAKA, ROBERT P.:
and NELSON, G. H.: Effect of Metal Containers on the Anaerobic Fermentation of Cornstalk Flour by Thermophiles ... 19–31

Page

STRAKA, ROBERT P.—Continued.
NELSON, G. H., and LEVINE, MAX: Anaerobic Decomposition of Wheat Straw by Thermophiles and the Quantity of Gas Produced ... 129–144
STRINGFIELD, G. H., and HUBER, L. L.: Aphid Infestation of Strains of Corn as an Index of Their Susceptibility to Corn Borer Attack ... 283–291
STROMAN, G. N.: Diameter of Fiber in Different Strains of Acala Cotton ... 243–255
STUMBO, CHARLES R., GAINEY, P. L., and CLARK, FRANCIS E.: Microbiological and Nutritional Factors in the Take-All Disease of Wheat ... 653–665
Sucrose percentage in *Beta vulgaris*, factors influencing, inheritance. J. O. Culbertson ... 153–172
Sugar beets—
chloride and sulfate salt content, toxicity experiments ... 359–379
inheritance of cross- and self-sterility and self-fertility, experiments ... 679–697
southern sclerotium rot, reducing with nitrogenous fertilizers. L. D. Leach and A. E. Davey ... 1–18
sucrose percentage, inheritance of factors influencing, studies ... 153–171
Sugars in *Aspergillus niger*, amino acid formation from, process. Robert A. Steinberg ... 615–633
Sulfate—
salt, tolerance of plants to, experiments ... 360–364
salts, toxicity and accumulation in plants. Frank M. Eaton ... 357–399
Superphosphate, effect on incidence and severity of take-all disease of wheat, experiments ... 656–664
Swine thorn-headed worm, eggs, viability. Kenneth C. Kates ... 93–100

Take-all disease of wheat, microbiological and nutritional factors. Charles R. Stumbo, P. L. Gainey, and Francis E. Clark ... 653–665
TANNOR, BERNARD, BARBELLA, NICHOLAS G., HANKINS, O. G., and HUNT, R. E.: Comparative Ripening of Beef From Grass-Fattened and Grain-Fattened Steers ... 517–521
Temperature—
effect on potato tuber production ... 273
low, effect on ascorbic acid content of tomatoes in shipment, experiments ... 489–490
relation to—
dry-land foot rot disease in Kanred winter wheat ... 353–355
longevity of cottonseed, experiments ... 412–416
yield of Kanred winter wheat ... 350–352
Temperatures—
freezing, effect on survival of eggs of thorn-headed worm ... 96–97
high, effect on survival of eggs of thorn-headed worm, studies ... 95–96
Thermophiles, anaerobic—
decomposition of wheat straw and quantity of gas produced. Robert P. Straka, G. H. Nelson, and Max Levine ... 129–144
fermentation of cornstalk flour, effect of metal containers. Robert P. Straka and G. H. Nelson ... 19–31
THOM, CHARLES, and STEINBERG, ROBERT A.: Reversions in Morphology of Nitrite-Induced "Mutants" of Aspergilli Grown on Amino Acids ... 645–652
THOMAS, EDWARD E., and HARDING, PAUL L.: Relation of Ascorbic Acid Concentration in Juice of Florida Grapefruit to Variety, Rootstock, and Position of Fruit on the Tree ... 57–61
Thorn-headed worm in swine, eggs of, viability. Kenneth C. Kates ... 93–100
Timothy—
plant, tops and roots, composition at successive stages of growth. Max Phillips, B. L. Davis, and H. D. Weihe ... 533–546
plants and constituents, weights at different stages of growth ... 541–543

Page

Tobacco—
commercial varieties, leaf arrangement 52–54
leaf arrangement—
determination 49
particular, constancy 49–51
phyllotaxy, some aspects. H. A. Allard 49–55
species, leaf arrangement 52–54
spiral, directions 51
Tomatoes—
blossom-end rot, incidence, relation to calcium accumulation in leaf sap, experiment 376–377
chloride and sulfate salt content, toxicity experiments 359–386
early growth, beneficial effect of chloride, experiment 387–388
growth in water cultures, effect of—
chloride, experiments 383–384
sulfate, experiments 384
shipping temperatures, effect on ascorbic acid content 489–490
varieties, Maine-grown, ascorbic acid content, influence of locality, season, and stage of maturity. Elizabeth F. Murphy 483–502
vitamin C content, relation to geographical location, factors affecting 484–493, 495–500
TOMPKINS, C. M., and MIDDLETON, JOHN T.: Root Rot of *Ranunculus asiaticus* Caused by *Pythium debaryanum* 179–183
Trace-element deficiencies, relation to growth of *Aspergillus niger* in solutions, tests 466–468, 471
Trace elements, effect on growth of *Aspergillus niger* with amino acids. Robert A. Steinberg 455–475
Trifolium repens—
cross-incompatibility and its relation to pseudo-self-compatibility in, genetics. Sanford S. Atwood 699–709
parent, pseudo-self-compatibility 699–700
pseudo-self-compatibility—
in, genetics 705–706
relation to cross-incompatibility 706–707
pseudo-self-compatible—
cross-incompatibility, genetics 701–705
number of seeds per pod 707
2,4-Diaminodiphenylamine—
description and uses 667
fungicidal properties. M. C. Goldsworthy, E. L. Green, and H. L. Haller 667–678
Ultraviolet irradiation, effect on viability of thorn-headed worm eggs, experiments 98
United States Dry Land Field Station, Akron, Colo., Kanred wheat, dry-land foot rot experiments 339–356
Uronic acids, content of timothy plant at different stages of growth 538

Vegetables, internal atmosphere—
carbon dioxide and organic volatiles in, simultaneous measurement. Fisk Gerhardt 207–219
measurement—
application of method 215–217
method and apparatus 209–215
Vegetation, short-grass, quadratting, comparison of methods. Lincoln Ellison 595–614
Venturia inaequalis, control by 2,4-Diaminodiphenylamine, experiments 668, 672–673
Viroplasm hypothesis—
definition 443
studies. James Johnson 443–454
Viruses, new, de novo origin 452–453
Vitamin—
B complex, requirements in diets for growing pigs 185–187
C. *See* Ascorbic acid.
Volatiles, organic, in internal atmosphere of fruits and vegetables, simultaneous measurement with carbon dioxide. Fisk Gerhardt 207–219

Wastes, farm, thermophilic anaerobic fermentation—
decomposition and quantity of gas produced 129–144

Page

Wastes, farm, thermophilic anaerobic fermentation—Continued.
effect of metal containers 19–31
Water, distribution in cured hams, determination by improved method. A. K. Besley and Floyd Carroll 293–306
Weather conditions, effect on ascorbic acid content of tomatoes grown in Maine 491–493
WEIHE, H. D.:
and PHILLIPS, MAX: Hemicelluloses of Cornstalks 401–406
PHILLIPS, MAX, and DAVIS, B. L.: Composition of the Tops and Roots of the Timothy Plant at Successive Stages of Growth 533–546
WERNER, H. O.: Relation of Length of Photoperiod and Intensity of Supplemental Light to the Production of Flowers and Berries in the Greenhouse by Several Varieties of Potatoes 257–274
Wheat—
chloride and sulfate salt content, toxicity experiments 379–386
flour, diastatic power, effects of papain and potassium iodate 149, 150
× grass, experiments 33–36, 37–40, 43
growth in water cultures, effect of sodium chloride and trace elements 384–386
straw—
anaerobic decomposition by thermophiles and quantity of gas produced. Robert P. Straka, G. H. Nelson, and Max Levine 129–144
cellulose and pentosans, decomposition and gas production 130–144
take-all disease, microbiological and nutritional factors. Charles R. Stumbo, P. L. Gainey, and Francis E. Clark 653–665
winter Kanred—
dry-land foot rot, relation to seeding date at Akron, Colo. D. W. Robertson, O. H. Coleman, J. F. Brandon, H. Fellows, and J. J. Curtis 339–356
dry-land foot rot, relation to temperature 353–355
planting date, effect on land foot rot 348–350
yield-temperature relationships 350–352
yields in rate and date of seeding experiments 341–348
Whiteweed—
root reserves—
effect of frequency of cultivation 739–740
effect of sodium chlorate 736–739
seasonal trend 729–734
trend after cultivation 734–736
roots—
form of food reserves in, analyses 727–728
reserve foods in. C. G. Barr 725–740
WILSON, E. E.: Experiments With Arsenite Sprays to Eradicate *Sclerotinia laxa* in Stone-Fruit Trees as a Means of Controlling the Brown Rot Disease in Blossoms 561–594
WINTERS, L. M., and COMSTOCK, R. E.: Design of Experimental Comparisons Between Lines of Breeding in Livestock 523–532

YEAGER, J. FRANKLIN, and MUNSON, SAM C.: Changes Induced in the Blood Cells of the Southern Armyworm (*Prodenia eridania*) by the Administration of Poisons 307–332
Yeasts, sugar in, conversion to amino acids, study, disadvantages 630

ZAUMEYER, W. J.: Inheritance of a Leaf Variegation in Beans 119–127
Zinc—
arsenite, effect on sporodochial development of *Sclerotinia laxa* in stone-fruit orchards, experiments 577–578
deficiency in soils and plants, effects 635
relation to seed production. Howard S. Reed 635–644
sulfate-lime spray, efficacy in control of *Sclerotinia laxa* infection of stone-fruit trees, experiments 565, 574, 591